



## Stampede® (Model 36054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

<b>4607</b>	<b>Ball bearings (5x11x4mm) (8)</b>
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

### Body & Accessories

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
<b>3934</b>	<b>Body clips, heavy duty (12)</b>
<b>1914R</b>	<b>Body mount, front &amp; rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware</b>
3614	Body mounts (front & rear)
<b>3619</b>	<b>Body mounts, front &amp; rear/ body mount posts, front &amp; rear (adjustable)/ 2.5x18mm screw pins (4)</b>
1815	Body washers (8)
<b>6716</b>	<b>Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)</b>
<b>3714</b>	<b>Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware</b>
<b>3617</b>	<b>Body, Stampede® (clear, requires painting) (requires #3614 to mount)</b>
<b>3649</b>	<b>Body, Stampede®, Hawaiian graphics (painted, decals applied)</b>
<b>3648</b>	<b>Body, Stampede®, Rock n' Roll (painted, decals applied)</b>
<b>2514</b>	<b>Decal sheet, racing sponsors</b>
3616	Decal sheets, Stampede®
<b>9950</b>	<b>Official Team Traxxas® racing decal set (flag logo/ 6-color)</b>
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
<b>5185</b>	<b>Tires, rubber (2) (fits Traxxas® wheelie bar wheels)</b>
<b>4974</b>	<b>Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)</b>
<b>3677A</b>	<b>Wheelie bar mount (1) / hardware (green)</b>
<b>3677P</b>	<b>Wheelie bar mount (1) / hardware (pink)</b>
<b>3677</b>	<b>Wheelie bar mount (1)/ hardware (black)</b>
<b>3677X</b>	<b>Wheelie bar mount (1)/ hardware (blue)</b>
<b>3678</b>	<b>Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)</b>
<b>3678X</b>	<b>Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)</b>
<b>3678A</b>	<b>Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)</b>
<b>3678P</b>	<b>Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)</b>
<b>4976</b>	<b>Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)</b>
<b>5186A</b>	<b>Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)</b>
<b>5186</b>	<b>Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)</b>

### Chassis & Attachments

<b>3725X</b>	<b>Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)</b>
3627X	Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735	Bumper (front)
<b>2735P</b>	<b>Bumper (front) (pink)</b>
<b>3622X</b>	<b>Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)</b>
3622R	Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3623	Skid plates, front & rear (black)
<b>3623X</b>	<b>Skid plates, front &amp; rear (blue)</b>
<b>3623A</b>	<b>Skid plates, front &amp; rear (green)</b>
<b>3623P</b>	<b>Skid plates, front &amp; rear (pink)</b>
<b>5185</b>	<b>Tires, rubber (2) (fits Traxxas® wheelie bar wheels)</b>
<b>4974</b>	<b>Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)</b>
<b>3677A</b>	<b>Wheelie bar mount (1) / hardware (green)</b>
<b>3677P</b>	<b>Wheelie bar mount (1) / hardware (pink)</b>
<b>3677</b>	<b>Wheelie bar mount (1)/ hardware (black)</b>
<b>3677X</b>	<b>Wheelie bar mount (1)/ hardware (blue)</b>

<b>3678</b>	<b>Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)</b>
<b>3678X</b>	<b>Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)</b>
<b>3678A</b>	<b>Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)</b>
<b>3678P</b>	<b>Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)</b>
<b>4976</b>	<b>Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)</b>
<b>5186A</b>	<b>Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)</b>
<b>5186</b>	<b>Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)</b>

### Differential Components

<b>2380</b>	<b>Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)</b>
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6)
1647	Silicone grease

### Driveline Components

<b>5116</b>	<b>Ball bearings, blue rubber sealed (5x11x4mm) (2)</b>
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
<b>4628X</b>	<b>Differential output yokes, hardened steel (w/ U-joints) (2)</b>
<b>6828X</b>	<b>Differential output yokes, heavy duty (2)/ screw pin (2)</b>
<b>1951R</b>	<b>Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)</b>
<b>1953</b>	<b>Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)</b>
<b>6752</b>	<b>Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)</b>
<b>6751</b>	<b>Half shaft, internal splined (steel-spline constant-velocity) (1)</b>
<b>6850X</b>	<b>Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)</b>
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
<b>6757</b>	<b>Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)</b>
3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
<b>3652A</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652G</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652P</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652P</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652X</b>	<b>Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)</b>
2754	Stub axle pins (4)
<b>6753</b>	<b>Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)</b>
2753X	Stub axles, rear (2)
<b>6853X</b>	<b>Stub axles, rear, heavy duty (2)/pins (2)</b>

### Front Suspension & Steering

3637	Axles (front) (2)
<b>2728</b>	<b>Ball bearings (5x8x2.5mm) (2)</b>
<b>5116</b>	<b>Ball bearings, blue rubber sealed (5x11x4mm) (2)</b>
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
<b>2530</b>	<b>Bulkhead (front) (black)</b>
2530A	Bulkhead (front) (grey)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3632	Caster blocks (l&r) (30-degree)
<b>3632A</b>	<b>Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
<b>3632G</b>	<b>Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
<b>3632P</b>	<b>Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
<b>3632X</b>	<b>Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>

## Page 2 Stampede®: TQ 2.4 GHz radio (Model 36054-1) Parts List

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
<b>5525R</b>	<b>Rod ends, heavy duty (Jato®/Slayer) (8)</b>
2742	Rod ends, long (6)/ hollow ball connectors (6)
<b>5347</b>	<b>Rod ends, Revo® (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
1844	Servo saver
3639	Shock tower (front)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)
<b>3636A</b>	<b>Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)</b>
<b>3636G</b>	<b>Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)</b>
<b>3636P</b>	<b>Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)</b>
<b>3636X</b>	<b>Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)</b>
3631	Suspension arms (front) (2)
<b>3631X</b>	<b>Suspension arms, black, front, heavy duty (2)</b>
<b>3631A</b>	<b>Suspension arms, blue, front, heavy duty (2)</b>
<b>3631G</b>	<b>Suspension arms, green, front, heavy duty (2)</b>
<b>3631T</b>	<b>Suspension arms, orange, front, heavy duty (2)</b>
<b>3631R</b>	<b>Suspension arms, red, front, heavy duty (2)</b>
<b>3631L</b>	<b>Suspension arms, white, front, heavy duty (2)</b>
<b>3740</b>	<b>Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)</b>
<b>2640</b>	<b>Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)</b>
<b>3640</b>	<b>Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)</b>
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
<b>2532</b>	<b>Tie bar, fiberglass (requires suspension pins, part# 2640)</b>
<b>3737A</b>	<b>Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)</b>
<b>3737</b>	<b>Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)</b>
3139	Turnbuckles (62mm) (front tie rods) (2)
<b>3741A</b>	<b>Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends &amp; hollow balls)/ wrench</b>
<b>2336A</b>	<b>Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends &amp; hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)</b>
<b>3741X</b>	<b>Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends &amp; hollow balls)/wrench</b>
<b>2336X</b>	<b>Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends &amp; hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)</b>
<b>3644</b>	<b>Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)</b>
<b>3745</b>	<b>Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)</b>
<b>3645</b>	<b>Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)</b>

### Hardware

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>3642</b>	<b>Shoulder screws, Ultra Shocks (3x12) (6)</b>
<b>1552</b>	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
1834	Body clips (12) (standard size)
<b>3934</b>	<b>Body clips, heavy duty (12)</b>
1589	Double-sided adhesive tape (25mm x 25mm) (2)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
<b>1747R</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
<b>1747G</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
<b>1747P</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
<b>1747P</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
<b>1747A</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)</b>
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
<b>5525R</b>	<b>Rod ends, heavy duty (Jato®/Slayer) (8)</b>
<b>5347</b>	<b>Rod ends, Revo® (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)

3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2675	Screws, 3x10mm roundhead self-tapping (6)
2648	Screws, 3x12mm countersunk self-tapping (6)
3186	Screws, 3x12mm washerhead machine (6)
3286	Screws, 3x12mm washerhead self-tapping (6)
2563	Screws, 3x15mm roundhead machine (6)
3187	Screws, 3x15mm washerhead machine (6)
3288	Screws, 3x15mm washerhead self-tapping (6)
2566	Screws, 3x20mm roundhead machine (6)
2567	Screws, 3x23mm roundhead machine (6)
2572	Screws, 3x30mm roundhead machine (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
2558	Screws, 3x6mm roundhead machine (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290	Screws, 3x8mm washerhead self-tapping (6)
2548	Screws, 4x12mm countersunk machine (100-degree) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2573	Screws, 4x15mm roundhead machine (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
<b>2746</b>	<b>Washers, 3x6mm metal (12)</b>

### Motors & Electronics

<b>1552</b>	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
<b>2260</b>	<b>BEC assembly (complete)</b>
3790	Gear adapter, fixed
<b>2072A</b>	<b>Gear set (for 2070, 2075 servos)</b>
<b>1275</b>	<b>Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)</b>
3785	Motor, Titan® 12T (12-Turn, 550 size)
<b>3351R</b>	<b>Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)</b>
3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)
<b>2075R</b>	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
<b>2075</b>	<b>Servo, digital high-torque (ball bearing), waterproof</b>
<b>2075X</b>	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
2056	Servo, high-torque, waterproof (blue case)
<b>3350R</b>	<b>Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))</b>
<b>3355R</b>	<b>Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)</b>
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

### Radio System, Batteries & Chargers

<b>2842X</b>	<b>5000mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2843X</b>	<b>5800mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2869X</b>	<b>7600mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2976</b>	<b>AC to DC converter, 40W</b>
<b>2938X</b>	<b>Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>2943</b>	<b>Battery charge indicators (green (4), blue (4), grey (4))</b>
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
<b>2914</b>	<b>Battery, Power Cell AA Alkaline (4)</b>
<b>2922X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)</b>
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
<b>2926X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2942X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2940X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)</b>
<b>2941X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2952X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2950X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)</b>
<b>2951X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2960X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)</b>
<b>2961X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2984</b>	<b>Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))</b>
<b>2992</b>	<b>Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))</b>

**Page 3 Stampede®: TQ 2.4 GHz radio (Model 36054-1) Parts List**

2260	BEC assembly (complete)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6541	Connector, power tap (with cable) (long)/ wire tie
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6518	Receiver, micro, TQi 2.4GHz with telemetry (5-channel)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6522	Sensor, RPM (short)/ 3x4mm BCS (2)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
6537	Wire retainers, gear cover/ 3x4mm BCS (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Ready-To-Race Model**

36054-1 Stampede®: 1/10 Scale Monster Truck with TQ 2.4GHz radio system

**Rear Suspension**

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3739	Screw pin set (Rustler®/ Bandit®/ Stampede®)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bushings and bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655X	Suspension arms, left & right

3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
3655A	Suspension arms, white, front/rear (left & right), heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)

**Shocks (Pro-level Aluminum)**

2664	Big Bore shock cylinder (long) (1)
2666	Big Bore shock cylinder (XX-long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

**Shocks (Ultra Shocks)**

3642	Shoulder screws, Ultra Shocks (3x12) (6)
3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3758	Springs, front (black) (2)
3758T	Springs, front (blue) (2)
3758A	Springs, front (green) (2)
3758P	Springs, front (pink) (2)
3758X	Springs, front (white) (2)
3757	Springs, rear (black) (2)
3757T	Springs, rear (blue) (2)
3757A	Springs, rear (green) (2)
3757P	Springs, rear (pink) (2)
3757X	Springs, rear (white) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

### Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

### Spur Gears & Pinion Gears

3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

### Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2742	Rod ends, long (6)/ hollow ball connectors (6)
1844	Servo saver
2336	Turnbuckles, 78mm (2)
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

### Suspension Linkage

3642	Shoulder screws, Ultra Shocks (3x12) (6)
3641A	Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)

3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

### Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

### Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
3689	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3668A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)
3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)
3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)
3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)
3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)
1970	Tires, low-profile spiked 2.2" (2)
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
4790R	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
1870	Tires, Sledgehammer terra-spiked (2)
3671	Tires, Talon 2.8" (2)/ foam inserts (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
3772A	Wheels, All-Star 2.8" (black chrome) (2WD electric rear)
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
3772	Wheels, All-Star 2.8" (chrome) (2WD electric rear)
5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
3673	Wheels, chrome (2.2") (front) (2)
3672	Wheels, chrome (2.2") (rear) (2)
3675	Wheels, dyeable nylon 2.2 (front) (2)
3674	Wheels, dyeable nylon 2.2 (rear) (2)
3774	Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
5572	Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

### Transmission Components

1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
4607	Ball bearings (5x11x4mm) (8)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3790	Gear adapter, fixed
3691	Gearbox halves (l&r) (black) w/ idler gear shaft
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft

## Page 5 Stampede®: TQ 2.4 GHz radio (Model 36054-1) Parts List

5148	Grease, white lithium	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3696	Idler gear, steel (30-tooth)		
3793	Input shaft (slipper shaft) / spring pin	3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)		
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)		
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))	3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)		
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)		
1647	Silicone grease		
5556	Slipper pressure plate & hub (aluminum alloy)		
3195	Top drive gear, steel (22-tooth)		
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)		

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

### Turnbuckles & Threaded Rods

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail [support@Traxxas.com](mailto:support@Traxxas.com)

**TRAXXAS.COM**